



Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012, <http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf>) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

Enter NPDES ID *	Organization Formal Name *
GMG29 0129	Walter Oil & Gas Corporation
	Organization Noted by Preparer
	Walter Oil & Gas Corporation

Reason for Submission *

☐ Change operator legal name and address
 ☐ Add structures
 ☐ Change structure information

☐ Delete structures
 ☐ Add limit set(s) for an existing permitted feature
 ☒ Delete limit set(s) from an existing permitted feature

Delete Limit Set(s) from an Existing Permitted Feature

Limit Set Designator

Structure Type	Chem. Treated Misc. Discharge (CT)	Cooling Water Intake Structure (CW)	Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)	Misc. Discharge (MD)	Produced Water (PR)	Sanitary, & Domestic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Platform	M	O	O	O	M	M	O	M	O	M
MODU	O	O	O	O	O	O	O	M	O	O
Subsea	O	O	O	O	O	M	O	O	O	O

Permitted Feature ID *

Structure Type *

0023

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0024

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface

Permitted Feature ID *

Structure Type *

0025

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface

Permitted Feature ID *

Structure Type *

0026

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface

Permitted Feature ID *

Structure Type *

0027

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface

Permitted Feature ID *

Structure Type *

0028

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0029

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0030

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0031

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0032

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0033

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0034

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0035

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0036

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0037

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0038

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0040

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0041

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0042

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0043

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0045

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0046

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0047

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

Structure Type *

0048

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0049

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0050

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0051

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Permitted Feature ID *

0052

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

subsea well with no discharges at surface.

Permitted Feature ID *

0054

Structure Type *

Subsea

Delete Row

Select Limit Sets to Delete:

☒ Chem. Treated Misc. Discharge (CT)☐ Cooling Water Intake Structure (CW)☒ Drilling Fluids and Cuttings (DF)☒ Hydrate Control Fluid (HF)☒ Maintenance BMP (WM)☐ Misc. Discharge (MD)☒ Produced Water (PR)☒ Sanitary & Domestic WW, Deck
Drainage (WW)☒ Stock Base Fluid Drill (SB)☒ Well Fluids (WF)

Reason for Deletion *

Subsea well with no discharges at surface.

Add Row

Certification Information

Ex. 6 Personal Privacy (PP)

Form Action *

Approve

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.